Developmental Brain Research, 46 (1989) 319–320
Elsevier

Author Index

Ambe, R.K., see Robertson, R.T., 69
Amstylslavski, S.Y., see Naumenko, E.V., 205

Ben-Ari, Y., see King, A.E., 1
Blais, D.P., see Thor, K.B., 137
Bode-Greuel, K.M. and Singer, W., The development of *N*-methyl-D-aspartate receptors in cat visual cortex, 197
Brady, D.R., see Phelps, P.E., 47
Bruckenstein, D., Johnson, M.I. and Higgins, D., Age-dependent changes in the capacity of rat sympathetic neurons to form dendrites in tissue culture, 21
Burgunder, J.-M. and Young III, W.S., Ontogeny of cholecystokinin gene expression in the rat thalamus — a hybridization histochemical study, 221
Butcher, L.L., see Gould, E., 297

Carlson, C.G. and Leonard, R.J., Developmental changes in the open time and conductance of acetylcholine receptors in aneural cultured *Xenopus* myocytes treated with cycloheximide or tunicamycin, 61
Cassell, M.D., see Hamre, K.M., 213
Celio, M.R., see Hof, P.R., 107
Chalupa, L.M., Killackey, H.P., Snider, C.J. and Lia, B., Callosal projection neurons in area 17 of the fetal rhesus monkey, 303
Cherubini, E., see King, A.E., 1

De Groat, W.C., see Thor, K.B., 137
De la Monte, S.M., Federoff, H.J., Ng, S.-C., Grabczyk, E. and Fishman, M.C., GAP-43 gene expression during development: persistence in a distinctive set of neurons in the mature central nervous system, 161
Desiraju, T., see Murthy, S.K., 33
Dussault, J.H., see Luo, M., 131
Dygalo, N.N., see Naumenko, E.V., 205

Elkabes, S., Loh, Y.P., Nieburgs, A. and Wray, S., Prenatal ontogenesis of pro-opiomelanocortin in the mouse central nervous system and pituitary gland: an in situ hybridization and immunocytochemical study, 85
Elkabes, S., see Wray, S., 309

Farris, T.W., see Gould, E., 297
Federoff, H.J., see De la Monte, S.M., 161
Felix, J.M., see Laurent, F.M., 145
Fishman, M.C., see De la Monte, S.M., 161
Fox, T.O., see Tobet, S.A., 253

Gallager, D.W., see Smith, D.A., 173
Gordienko, N.I., see Naumenko, E.V., 205
Gould, E., Farris, T.W. and Butcher, L.L., Basal forebrain neurons undergo somatal and dendritic remodeling during postnatal development: a single-section Golgi and choline acetyltransferase analysis, 297
Grabczyk, E., see De la Monte, S.M., 161

Hablitz, J.J. and Heinemann, U., Alterations in the microenvironment during spreading depression associated with epileptiform activity in the immature neocortex, 243
Hablitz, J.J., see Sutor, B., 155
Hamill, R.W., see Romagnano, M.A., 263
Hamre, K.M., Cassell, M.D. and West, J.R., The development of laminar staining for neuron-specific enolase in the rat somatosensory cortex, 213
Heinemann, U., see Hablitz, J.J., 243
Higgins, D., see Bruckenstein, D., 21
Hindelang, C., see Laurent, F.M., 145
Hof, P.R., Celio, M.R. and Magistretti, P.J., Age-dependent supersensitivity to the glycogenolytic effect of K^+ in the cerebral cortex of the spontaneously epileptic *quaking* mouse mutant, 107

Jeffery, G., Shifting retinal maps in the development of the lateral geniculate nucleus, 187
Johnson, M.I., see Bruckenstein, D., 21

Killackey, H.P., see Chalupa, L.M., 303
King, A.E., Cherubini, E. and Ben-Ari, Y., *N*-Methyl-D-aspartate induces recurrent synchronized burst activity in immature hippocampal CA3 neurones in vitro, 1
Klein, M.J., see Laurent, F.M., 145

Laurent, F.M., Hindelang, C., Klein, M.J., Stoeckel, M.E. and Felix, J.M., Expression of the oxytocin and vasopressin genes in the rat hypothalamus during development: an in situ hybridization study, 145
Leonard, R.J., see Carlson, C.G., 61
Lia, B., see Chalupa, L.M., 303
Loh, Y.P., see Elkabes, S., 85
Luo, M., Puymirat, J. and Dussault, J.H., Immunocytochemical localization of nuclear 3,5,3'-triiodothyronine (L-T3) receptors in astrocyte cultures, 131

Magistretti, P.J., see Hof, P.R., 107
Markel, A.L., see Naumenko, E.V., 205
Maslova, L.N., see Naumenko, E.V., 205
Meisami, E., A proposed relationship between increases in the number of olfactory receptor neurons, convergence ratio and sensitivity in the developing rat, 9
Mitskevich, M.S., see Ugrumov, M.V., 233
Moran, J. and Patel, A.J., Effect of potassium depolarization on phosphate-activated glutaminase activity in primary cultures of cerebellar granule neurons and astroglial cells during development, 97
Murthy, S.K. and Desiraju, T., Quantitative assessment of dendritic branching and spine densities of neurons of hippocampal embryonic tissue transplanted into juvenile neocortex, 33

Naumenko, E.V., Maslova, L.N., Gordienko, N.I., Amstylslavski, S.Y., Dygalo, N.N. and Markel, A.L., Persistent hypotensive effect of L-DOPA given early during development to rats with inherited stress-induced arterial hypertension, 205

Newton, B.W., see Romagnano, M.A., 263
Ng, S.-C., see De la Monte, S.M., 161
Nieburgs, A., see Elkabes, S., 85
Nieburgs, A., see Wray, S., 309

Pasternak, J.F., see Trommer, B.L., 169
Patel, A.J., see Moran, J., 97
Phelps, P.E., Brady, D.R. and Vaughn, J.E., The generation and differentiation of cholinergic neurons in rat caudate-putamen, 47
Pierre, A.H., see Romagnano, M.A., 263
Polakiewicz, R., see Rosen, H., 123
Puymirat, J., see Luo, M., 131

Reppert, S.M., see Weaver, D.R., 291
Reuter, J.M., see Zimmerberg, B., 281
Robertson, R.T., Ambe, R.K. and Yu, J., Intraocular injections of tetrodotoxin reduce transiently expressed acetylcholinesterase activity in developing rat visual cortex, 69
Romagnano, M.A., Newton, B.W., Pierre, A.H. and Hamill, R.W., Postnatal ontogeny of enkephalin fibers in spinal sympathetic nuclei, 263
Rosen, H. and Polakiewicz, R., Postnatal expression of opioid genes in rat brain, 123

Schachner, M., see Trotter, J., 115
Singer, W., see Bode-Greuel, K.M., 197
Smith, D.A. and Gallager, D.W., Electrophysiological and biochemical characterization of the development of α_1-adrenergic and 5-HT_1 receptors associated with dorsal raphe neurons, 173
Snider, C.J., see Chalupa, L.M., 303
Steinbusch, H.W.M., see Ugrumov, M.V., 233
Stoeckel, M.E., see Laurent, F.M., 145
Sutor, B. and Hablitz, J.J., Cholinergic modulation of epileptiform activity in the developing rat neocortex, 155
Suyeoka, G.M., see Trommer, B.L., 169

Taxi, J., see Ugrumov, M.V., 233
Thor, K.B., Blais, D.P. and De Groat, W.C., Behavioral analysis of the postnatal development of micturition in kittens, 137
Tobet, S.A. and Fox, T.O., Androgen regulation of an antigen expressed in regions of developing brainstem monoaminergic cell groups, 253
Tramu, G., see Ugrumov, M.V., 233
Trommer, B.L., Pasternak, J.F. and Suyeoka, G.M., Proconvulsant effects of aminophylline during amygdala kindling in developing rats, 169
Trotter, J. and Schachner, M., Cells positive for the O4 surface antigen isolated by cell sorting are able to differentiate into astrocytes or oligodendrocytes, 115

Ugrumov, M.V., Taxi, J., Steinbusch, H.W.M., Tramu, G. and Mitskevich, M.S., On the distribution and morpho-functional characteristics of 5-HT-immunoreactive cells in the hypothalamus of fetuses and neonatal rats, 233

Vaughn, J.E., see Phelps, P.E., 47

Weaver, D.R. and Reppert, S.M., Periodic feeding of SCN-lesioned pregnant rats entrains the fetal biological clock, 291
West, J.R., see Hamre, K.M., 213
Wray, S., Nieburgs, A. and Elkabes, S., Spatiotemporal cell expression of luteinizing hormone-releasing hormone in the prenatal mouse: evidence for an embryonic origin in the olfactory placode, 309
Wray, S., see Elkabes, S., 85

Young III, W.S., see Burgunder, J.-M., 221
Yu, J., see Robertson, R.T., 69

Zimmerberg, B. and Reuter, J.M., Sexually dimorphic behavioral and brain asymmetries in neonatal rats: effects of prenatal alcohol exposure, 281